FlxRoom







Walking architecture

Infinite Extension

mwworkstation.com



Room within a room

Reconstructing the environment to accommodate
individuality through modular customization.

Let every space become your own unique 「**inspiration station**」.

Within a small space, a world exists.

Index

1 A revitalized office space

2 Open office system

3 Customized office applications

4 Leisure area

5 Silent Single Room

6 Silent cabin double room

7 Rest

8 Brainstorming Zone

9 Music

10 Healthcare

11 More Applications

12 Detailed Analysis

13 FlxRoom Familysic

Room within a room

The room-within-a-room is a mobile building. Our primary considerations were light-weight design, modularity, quick installation, reassembly, mobility, recyclability, and expandable space. Secondly, we prioritized the rapid interchangeability of various wall materials and the quick installation of wall storage, maximizing sound insulation, ventilation, and visual appeal within the interior space. The product's recyclability, rapid assembly, and low-carbon environmental friendliness are the core principles of our design. Like the patina of a British gentleman's shoes, weathered by time, bearing the marks of history and showcasing enduring nobility, a good product may remain silent, but time will bear witness and prove its worth.





Break free from the constraints of a restrictive lifestyle and reclaim control over your life. FlxRoom is designed for the ideal space, where leisure, storage, and office work coexist, allowing creativity and comfort to flourish.

CUSTOM -FIT MODULAR DESIGN

Every space possesses its own unique character and functional requirements. "Flx-Room," in its myriad forms, embodies the unique expression of different scenarios, integrating the core of modular customization design into the details. Relying on a wide range of sizes, functional modules, and diverse materials that can be freely combined and flexibly reconstructed, it derives customized forms that combine individuality and texture, precisely adapting to various exclusive spaces and creating exclusive solutions for every unique need.

IDEAL APPLICABLE SPACE SCENARIO

FlxRoom employs a simplified yet unified modular system, consisting of six components: roof, floor, doors, and walls. Flexible assembly further supports versatility in size, appearance, and function. In today's rapidly changing and diverse office environment, it offers minimalist design and limitless possibilities.



Multi-person video conferencing



Formal meetings



Focused work



Highly private conversations



Borderless access



1 Overall structural frame:
6063 aluminum alloy electrostatic powder coating

2 Ceiling functional structural frame:
6063 aluminum alloy electrostatic powder coating

3 Modular wall panels:
Melamine board/polyester fiber sound-absorbing board

4 Modular wall panels:
Aluminum frame single-sided tempered glass; Panoramic tempered glass/Framed double-sided tempered glass

5 Power input:
EK/UK/CHINA 110-240VAC 10A; US 100-130VAC/15A

6 Door System:
German-style T-shaped aluminum alloy frame laminated tempered glass door / aluminum alloy frame tempered glass sliding door

7 Ventilation System:
Automatic circulating ventilation

8 Lighting System:
Floodlighting / Ambient lighting strip

9 Optional Features:
PIR motion sensor light

10 Intelligent Control System:
Touchscreen fresh air and lighting power management system

11 Power Outlet:
Standard

mwworkstation.com

ASSET RESTRUCTURING

In today's rapidly evolving environment, corporate offices, shopping mall atriums, and various open spaces frequently require the temporary creation of independent, private spaces, with spatial solutions varying significantly across different periods.
Forma modular prefabricated components support free reconfiguration and repositioning, efficiently revitalizing resources and easily creating private areas in open environments, adapting to various scenarios such as offices and commercial spaces.
Unlike fixed walls that are essentially set in stone, these flexible, movable modular assets can be promptly modified and updated according to business needs, reducing depreciation and better preserving asset value.



Negotiating the soundproof cabin FHB2011
Inner dimensions:1916*1035*2442(mm)



Open-style display cabin FOB2011
Inner dimensions:1916*1035*2442(mm)



Finance Department FFO3039-1
Inner dimensions:2846*3800*2442(mm)



Finance Department FFO3039-2
Inner dimensions:2846*3800*2442(mm)



Finance Department FFO3930
Inner dimensions:3796*2850*2442(mm)



Tea Room FTR3930-1
Inner dimensions:3796*2850*2442(mm)

SIZE MODULE



Tea Room FTR3930-3

Inner dimensions:3824*2870*2442(mm)



Tea room FPR6630

Inner dimensions:5270*2870*2442(mm)



Tea room FPR3930

Inner dimensions:2870*3800*2442(mm)



Tea room FPR4639

Inner dimensions:4424*3804*2442(mm)



Conference Room FCR3930

Inner dimensions:3824*2870*2442(mm)



Conference Room FCR9139

Inner dimensions:8900*3950*2442(mm)

SIZE MODULE



Conference Room FCR9039

Inner dimensions:8750*3800*2442(mm)



Free combination zone FMR5954

Inner dimensions:2854*2854*2442+2854*877*2442(mm)



Supervisory Space FMO3026

Inner dimensions:2854*2254*2442(mm)



Supervisor Space FM05830

Inner dimensions:5779*2854*2442(mm)



Supervisory Space FMO7830

Inner dimensions:7774*3824*2442(mm)

mwworkstation.com

SIZE MODULE



Open-plan meeting area FMR2030
Inner dimensions:20230*2870*2442(mm)



Open-plan meeting area FMR1459
Inner dimensions:10049*2870*2442(mm)

SIZE MODULE

Function reset

The entire series uses standardized, uniform panel specifications, ensuring high versatility. The same panel material can be adapted to various partition modules for assembly. Individual replacement of damaged sections is supported, eliminating the need for complete disassembly and scrapping, thus enabling convenient maintenance.





Material Reset

The panels are made from carefully selected recyclable and environmentally friendly substrates with an eco-friendly core, ensuring both ecological protection and overall workplace health. The panels are repairable, refurbishable, and reusable, significantly reducing waste in decoration materials.

FlxRoom_ personal

Choose your perfect space to suit every aspect of your workday
space station | Switch between different work environments





FlxRoom _ personal

Give the quiet library a corner to speak out.

FlxRoom _ meeting

A tranquil space has been created in a corner of the lobby, offering soundproofing, noise reduction, and a comfortable atmosphere. It provides a place for guests to meet briefly, chat, and enjoy a moment of peace and quiet amidst the hustle and bustle.



FlxRoom _ meeting room

This area combines relaxation and business meetings, prioritizing both comfort and practicality. Each space features a unique, quiet cabin with professional soundproofing to effectively block out external noise. Whether for business discussions, in-depth exchanges, or private meetings, you can enjoy a private and tranquil environment, allowing for focused and composed communication.



FlxRoom _ Finance Office

Create a dedicated, independent manager's office space that balances business style with practical functionality, using modular assembly for rapid prototyping.





MEETING BOOTH


17:05

FlxRoom _ Shopping mall leisure area

Adaptable to the flexible layout and rapid renovation needs of large commercial buildings, temporary shops can be quickly erected and dismantled without damage; building materials can be recycled and reused, reducing resource waste.



Injecting fresh inspiration into different needs in the workplace

room within to room - Dialog
Recharge
Meeting room



mwworkstation.com


10:00
00 16

mwworkstation.com





REHEARSAL



APPLICATION METHODS

Every space possesses its own unique character and functional requirements. FlxRoom, with its myriad forms, embodies the unique expression of different scenarios, integrating the core of modular customization design into the details. Relying on a wide range of sizes, functional modules, and diverse materials, it allows for free combination and flexible reconstruction, giving rise to customized forms that combine individuality and texture, precisely adapting to various exclusive spaces to create exclusive solutions for every unique need.





FlxRoom - Mini Music Pod





FlxRoom - Small Chamber Recital





FlxRoom - Small Chamber Recital

www.ofstation.com



MEDICAL



MORE



tation.com

FlxRoom _ Combined area

Modular office solutions allow for flexible space configuration and layout, adapting to diverse spatial needs.



FlxRoom _ personal

Even small apartments can have their own dedicated gaming room | Isolate from the noise and immerse yourself in gaming.

mwworkstation.com





Built-in hanging hardware options: whiteboard/freestanding wall panel/bookshelf/ magazine rack/clothes rack/countertop/cantilever cabinet

www.workstation.com

Built-in aluminum alloy frame:
integrated concealed power supply system



Concealed Track Sliding Doors:
Hidden Tracks, Say Goodbye to Exposed Tracks



Ventilation system:
Low-noise circulating ventilation and air purification



Intelligent control panel: Meeting scheduling
and intelligent control system



Hinged door: Equipped with Xima custom locks,
classic mechanical or smart fingerprint models
available upon request.





Cantilevered wall cabinets: Multifunctional storage design



Narrow-frame aluminum alloy swing doors

High strength and durability make them ideal for any space, offering excellent aesthetics, space efficiency, and versatility, making them suitable for entrances, room partitions, and stylish interior designs.





Narrow-frame aluminum alloy sliding door

Combining minimalist design, durability, and space-saving functionality, it enhances the aesthetics of a space, provides excellent light transmission and versatility for the partition, and is a perfect blend of aesthetics and practicality.



● Color chart display

Aluminum color option:

UT68



D261



UT64



D282



D281

MFC color option:



FY-100



EB-JFO25



EBK-2117



EBK-2118



Acoustic panels color option:



A-05



A-32



A-20



A-25



A-19

Custom made acoustic panels color option:



GP-13/GP-25
GP-03/GP-99



GP-18/GP-49
GP-27/GP-51



A-19



GP-03

Fabric color option:



LE9140B-38



LE9140B-04



LE9140B-20



LE9140B-35



LE9140B-36

Glass-coated writing board:



White



Mocha

Glass color option:



Ultra-clear glass



Brown glass



Smoky gray glass

mwworkstation.com

1 FlxRoom Lighting solutions

General lighting & magnetic ceiling light







LED lighting technical parameters:

- Color temperature: **3000K**, luminous flux approximately **1400lm**
- Workplace lighting, **conforming to DIN EN 12464-1 standard**, 0-500 lumens, **infinitely adjustable**.
- Uniform illumination, low energy consumption, **energy efficiency rating A++**, and long design life.
- Magnetic attachment, supports quick replacement

2 FlxRoom fresh air solution

Enjoy a comfortable climate and breathe freely.



0 bis 320m³/Std

Low-noise automatic circulating ventilation, with an optional air purification system. Steplessly adjustable airflow intelligently optimizes the air inside the cabin, eliminating the feeling of direct airflow, and independently operating to create a comfortable and quiet indoor microenvironment.





0-320m³/h
Vr ≈0.12 m/s
Vmax =0.22 m/s
Tmax = 25.4 ℃

3 FlxRoom Acoustic solutions

Creating a tranquil room-within-a-room space

I. Echo System

The space is equipped with curtains, polyester fiber sound-absorbing panels on the interior walls, and polyurethane sound-absorbing panels on the ceiling. The synergistic effect of multiple acoustic materials effectively reduces echoes inside the room-within-a-room structure, shortens reverberation time, eliminates sound reflection interference, and creates a clean and clear acoustic environment inside the cabin.





I I. Soundproofing System



Isolate external noise interference

The soundproof cabin offers a maximum sound insulation of **30.5dB**, while the multi-person, five-sided cabin offers a maximum sound insulation of **28dB**. The frame cavity is filled with high-density polyester fiber sound-absorbing cotton, effectively blocking the transmission of airborne sound; sealing strips ensure the airtightness of the cavity, and combined with the independent "room within a room" suspended structure, the overall sound insulation capability is comprehensively improved, creating a high-standard quiet cabin environment.

4 FlxRoom Intelligent control system solutions

Product Accessories/Parameters



● TFT touch screen panel

Size : 183x118x29.2mm

Dimensions : 172x110mm



● 3-core fan

PWM regulation

Rated air volume: 108 CFM

Noise level: 38 dB(A)

Rated power: 100W

Input: 24v

Wind speed: 900 RPM

Dimensions: Ø250mm * 30mm



● PIR Human Body Induction Radar

Sensitivity selectable in four levels

Input voltage: DC12~24V

Beam angle: 100x100

Sensing distance: 0.3-6m



● Control box

Dimensions: L260xW240xH35mm

Rated Power: 100W/150W (default)/2001

mwworkstation.com

Configuration Function

SILENT BOOTH SERIES



● FPB1111-1

Space dimensions / 1108*1108*2442mm **Area /** 1.23㎡

Model wall configuration:
- ✔ Exterior walls: 12mm particleboard + 9mm mosaic sound-absorbing cotton
- ✔ Interior walls: 18mm particleboard + LE9140B-38 fabric
- ✔ Panoramic glass wall (8mm tempered clear glass)

Optional wall panel configurations:
- ✔ 18mm melamine board (Black Gold.EB-JF025)
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Italian T-shaped hinged door



● FPB1111-2

Space dimensions / 1108*1108*2442mm **Area /** 1.23㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (black gold.EB-JF025)
- ✔ Interior walls: 12mm particleboard + sound-absorbing cotton A-05 silver gray

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm mosaic sound-absorbing cotton
- ✔ Panoramic glass wall (8mm tempered clear glass)
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Italian T-shaped hinged door



● FHB2011

Space dimensions / 2062*1108*2442mm **Area /** 2.28㎡

Model wall configuration:
- ✔ Exterior walls: 12mm particleboard + 9mm mosaic sound-absorbing cotton
- ✔ Exterior walls: 18mm melamine board (FY-100)
- ✔ Interior walls: 18mm particleboard + LE9140B-38 fabric
- ✔ Panoramic glass wall (8mm tempered clear glass)

Optional wall panel configurations:
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ German-style T-shaped hinged door

Optional door configuration:
- ✔ Aluminum alloy sliding door

mwworkstation.com

SPACE CAPSULE SERIES



● FHB3016

Space dimensions / 3062*1630*2442mm **Area /** 4.99㎡

Model wall configuration:
- ✔ Exterior walls: 18mm particleboard + LE9140B-36 fabric
- ✔ Interior walls: 18mm particleboard + LE9140B-36 fabric
- ✔ Panoramic glass wall (8mm tempered clear glass)

Optional wall panel configurations:
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Italian T-shaped hinged door

Optional door configurations:
- ✔ German-style T-shaped hinged door



● FHB2424

Space dimensions / 2400*2400*2442mm **Area /** 5.76㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (FY-100)
- ✔ Interior walls: 12mm particleboard + milled sound-absorbing cotton (gray)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Aluminum alloy sliding door

Optional door configurations:
- ✔ German-style T-shaped hinged door



● FHB3024

Space dimensions / 2400*3000*2442mm **Area /** 7.20㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (black gold, EB-JF025)
- ✔ Interior walls: 12mm particleboard + milled sound-absorbing cotton (gray)
- ✔ Panoramic glass wall (8mm tempered white glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Aluminum alloy sliding door

Optional door configurations:
- ✔ German-style T-shaped hinged door



● FOB2011

Space dimensions / 2062*1108*2442mm **Area /** 2.28㎡

Model wall configuration:
- ✔ Exterior walls: 18mm particleboard + LE9140B-36 fabric
- ✔ Interior walls: 18mm particleboard + LE9140B-36 fabric
- ✔ Panoramic glass wall (8mm tempered clear glass)

Optional wall panel configurations:
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling



● FOB3015

Space dimensions / 3062*1508*2442mm **Area /** 4.50㎡

Model wall configuration:
- ✔ Exterior walls: 18mm particleboard + LE9140B-36 fabric
- ✔ Interior walls: 18mm particleboard + LE9140B-36 fabric
- ✔ Panoramic glass wall (8mm tempered clear glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling



● FFO3039-1

Space dimensions / 3016*3970*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior wall: 18mm melamine board (Black Gold EB-JF025)
- ✔ Interior wall: 18mm melamine board (Carbar Oak EBK-2117)

Optional wall panel configurations:
- ✔ 18mm particleboard + fabric
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Panoramic glass wall (8mm tempered clear glass)
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ German-style T-shaped hinged door

Optional door configurations:
- ✔ Aluminum alloy sliding door



● FFO3039-2

Space dimensions / 3016*3970*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (Black Gold.EB-JF025)
- ✔ Interior walls: 18mm particleboard + fabric LE9140B-38
- ✔ Panoramic glass wall (8mm tempered white glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ German-style T-shaped hinged door

Optional door configurations:
- ✔ Aluminum alloy sliding door



● FTR3930-2

Space dimensions / 3970*3016*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (Black Gold EB-JF025)
- ✔ Interior walls: 18mm particleboard + fabric LE9140B-38
- ✔ Panoramic glass wall (8mm striped printed glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ German-style T-shaped hinged door

Optional door configurations:
- ✔ Aluminum alloy sliding door



● FFO3930

Space dimensions / 3970*3016*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (Black Gold.EB-JF025)
- ✔ Interior walls: 18mm particleboard + fabric LE9140B-38
- ✔ Panoramic glass wall (8mm tempered white glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Aluminum alloy sliding door

Optional door configurations:
- ✔ German-style T-shaped hinged door



● FTR3930-3

Space dimensions / 3970*3016*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (Carpal Oak EBK-2117)
- ✔ Interior walls: 18mm particleboard + fabric LE9140B-38
- ✔ Corrugated panels: 18mm melamine board (Carpal Oak EBK-2117)
- ✔ Aluminum alloy grille

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling



● FTR3930-1

Space dimensions / 3970*3016*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior wall: 18mm melamine board (Black Gold EB-JF025)
- ✔ Interior wall: 18mm particleboard + fabric LE9140B-38
- ✔ Panoramic glass wall (8mm striped printed glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Aluminum alloy sliding door

Optional door configurations:
- ✔ German-style T-shaped hinged door



● FPR3930

Space dimensions / 3970*3016*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-36
- ✔ Aluminum alloy grille

Optional wall panel configurations:
- ✔ 18mm melamine board
- ✔ 12mm particleboard + 9mm sound-absorbing cotton

Ceiling configuration:
- ✔ Polyester fiberboard louvered open-style sunroof sound-absorbing cotton (A-19 Milk Coffee)



● FPR4639

Space dimensions / 4650*3970*2442mm **Area /** 18.46㎡

Model wall configuration:
- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-36
- ✔ Aluminum Alloy Grille
- ✔ Tree-Shaped Decorative Panels

Optional wall panel configurations:
- ✔ 18mm melamine board
- ✔ 12mm particleboard + 9mm sound-absorbing cotton

Ceiling configuration:
- ✔ Left: Aluminum alloy open-style sunshade
- ✔ Right: Polyester fiberboard louvered open-style sunshade with sound-absorbing cotton (A-19 Milk Coffee)



● FMO5830

Space dimensions / 5878*3016*2442mm **Area /** 17.73㎡

Model wall configuration:
- ✔ Exterior wall: 18mm melamine board (FY-100)
- ✔ Interior wall 1: 18mm melamine board (Carbar oak EBK-2117)
- ✔ Interior wall 2: 12mm particleboard + sound-absorbing cotton A-19 (milky coffee)
- ✔ Panoramic glass wall (8mm tempered white glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered white glass)

Optional wall panel configurations:
- ✔ 18mm particleboard + fabric
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ German-style T-shaped hinged door

Optional door configurations:
- ✔ Aluminum alloy sliding door



● FPR6630

Space dimensions / 6608*3020*2442mm **Area /** 19.95㎡

Model wall configuration:
- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-36
- ✔ Aluminum Alloy Grille
- ✔ Tree-Shaped Decorative Panels
- ✔ Cushion Upholstery
- ✔ Illuminated Shelves

Optional wall panel configurations:
- ✔ 18mm melamine board
- ✔ 12mm particleboard + 9mm sound-absorbing cotton

Ceiling configuration:
- ✔ Aluminum alloy open-style sunshade



● FMO7830

Space dimensions / 7878*3016*2442mm **Area /** 23.76㎡

Model wall configuration:
- ✔ Exterior walls: 18mm melamine board (FY-100)
- ✔ Interior walls: 18mm particleboard + fabric LE9140B-38
- ✔ Panoramic glass wall (8mm tempered clear glass)

Optional wall panel configurations:
- ✔ 18mm melamine board
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ German-style T-shaped hinged door

Optional door configurations:
- ✔ Aluminum alloy sliding door



● FCR3930

Space dimensions / 3970*3016*2442mm **Area /** 11.97㎡

Model wall configuration:
- ✔ Exterior wall: 18mm melamine board (Black Gold.EB-JF025)
- ✔ Interior wall: 18mm melamine board (Layered Greenery + FY-100)
- ✔ Panoramic glass wall (8mm tempered clear glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Optional wall panel configurations:
- ✔ 18mm particleboard + fabric
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Aluminum alloy sliding door

Optional door configurations:
- ✔ German-style T-shaped hinged door



● FMO3026

Space dimensions / 3016*2662*2442mm **Area /** 8.03㎡

Model wall configuration:
- ✔ Exterior wall: 18mm melamine board (Black Gold.EB-JF025)
- ✔ Interior wall 1: 18mm particleboard + fabric LE9140B-38
- ✔ Interior wall 2: Glass painted lettering board
- ✔ Panoramic glass wall (8mm tempered white glass)

Optional wall panel configurations:
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:
- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:
- ✔ Aluminum alloy sliding door

Optional door configurations:
- ✔ German-style T-shaped hinged door



FCR9139

Space dimensions / 9140*3970*2442mm **Area /** 36.29㎡

Model wall configuration:

- ✔ Exterior wall: 18mm melamine board (Black Gold EB-JF025)
- ✔ Interior wall 1: 18mm particleboard + fabric LE9140B-38
- ✔ Interior wall 2: 18mm melamine board (Carpal Oak EBK-2117)
- ✔ Panoramic glass wall (8mm tempered white glass)

Optional wall panel configurations:

- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:

- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:

- ✔ Aluminum alloy sliding door

Optional door configurations:

- ✔ German-style T-shaped hinged door



FCR9039

Space dimensions / 9140*3970*2442mm **Area /** 35.55㎡

Model wall configuration:

- ✔ Exterior wall: 18mm particleboard + fabric LE9140B-36
- ✔ Interior wall 1: 18mm melamine board (Carpal oak EBK-2117)
- ✔ Interior wall 2: Glass-coated lettering board
- ✔ Interior wall 3: 12mm particleboard + 9mm mosaic sound-absorbing cotton
- ✔ Panoramic glass wall (8mm tempered white glass)

Optional wall panel configurations:

- ✔ 18mm particleboard + fabric
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:

- ✔ Sound-absorbing aluminum frame ceiling

Model gate configuration:

- ✔ Aluminum alloy sliding door

Optional door configurations:

- ✔ German-style T-shaped hinged door



FMR2030

Space dimensions / 20230*3020*2442mm **Area /** 61.09㎡

Model wall configuration:

- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-45
- ✔ Interior Walls: 12mm particleboard + sound-absorbing cotton A-32 brownish-red
- ✔ Panoramic Glass Wall (8mm tempered white glass)
- ✔ Aluminum Alloy Grille

Optional wall panel configurations:

- ✔ 18mm melamine board
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:

- ✔ Polyester fiberboard louvered open-style sunshade
  Sound-absorbing cotton A-32 brownish-red

Model gate configuration:

- ✔ German-style T-shaped hinged door/aluminum alloy sliding door

Optional door configurations:

- ✔ Aluminum alloy sliding door / German-style T-shaped hinged door



FMR1459

Space dimensions / 14200*5938*2442mm **Area /** 84.32㎡

Model wall configuration:

- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-04 (Meeting Area)
- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-05 (Tea Room)
- ✔ Interior/Exterior Walls: Painted glass writing board
- ✔ Bar Counter Wall Panels: 18mm melamine board (FY-100)
- ✔ Aluminum Alloy Grille

Optional wall panel configurations:

- ✔ 18mm melamine board
- ✔ 12mm particleboard + 9mm sound-absorbing cotton
- ✔ Panoramic glass wall (8mm tempered clear glass)
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:

- ✔ Sound-absorbing aluminum frame roof
- ✔ Polyester fiberboard louvered open-style sunroof with sound-absorbing cotton A-05 (grey) + A-20 (yellow)
- ✔ Aluminum alloy open-style sunroof

Model gate configuration:

- ✔ Aluminum alloy sliding door

Optional door configurations:

- ✔ German-style T-shaped hinged door



FMR5954

Space dimensions / 5938*5404*2442mm **Area /** 32.09㎡

Model wall configuration:

- ✔ Interior/Exterior Walls: 18mm particleboard + fabric LE9140B-04
- ✔ Interior Walls: 12mm particleboard + sound-absorbing cotton milled A-05 silver-gray
- ✔ Exterior Walls: Painted glass lettering board
- ✔ Interior/Exterior Walls: 18mm melamine board (FY-100) (backrest + seating area)
- ✔ Panoramic glass wall (8mm tempered white glass)
- ✔ Aluminum alloy grille

Optional wall panel configurations:

- ✔ 18mm melamine board
- ✔ Aluminum alloy single-sided glass wall (5+5 laminated glass)
- ✔ Aluminum alloy double-sided glass wall (5mm tempered clear glass)

Ceiling configuration:

- ✔ Polyester fiberboard louvered open-style sunroof
  sound-absorbing cotton A-05 gray + A-20 yellow.

Model gate configuration:

- ✔ Aluminum alloy sliding door

Optional door configurations:

- ✔ German-style T-shaped hinged door

Casual conversation space

Meeting space

Brainstorming area

Discussion space

Focusing space

Office relaxation

Co-creation space

Coffee space

Relaxing and conversation space

Coffee Space

Brainstorming area

Discussion space

Personal space

Leisure space

Leisure space

Office and leisure

Meeting room

M&W

Web:mwworkstation.com
Mail:robbor@mwworkstation.com
Tel:+86 13695211636
WhatApp:+86 13695211636
Add:NO.3 Xingye North Road Dawotang Industrial District Shishan Nanhai Foshan City Guangdong P.R China

WhatApp